ELSEVIER

Protein Structure & Molecular Enzymology

Vol. 1382, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Cumulative Contents

BBA is cited in: Current Contents / Life Sciences - Biological Abstracts - Chemical Abstracts - Index Chemicus - Index Medicus / MEDLINE - Cambridge Scientific Abstracts (CSA) - Excerpta Medica (EMBASE) - Reference Update - Current Awareness in Biological Sciences (CABS)

Information for Contributors vii

Rapid reports

Investigation of the potential active site of a cyanide dihydratase using site-directed mutagenesis
A. Watanabe, K. Yano, K. Ikebukuro and I. Karube (Japan) 1

Domain organisation in phosphomannose isomerases (types I and II)
S.O. Jensen and P.R. Reeves (Australia) 5

The use of multiwavelength kinetic analysis approach to identify and characterize intermediate complexes in the reductive amination reaction catalyzed by bovine liver glutamate dehydrogenase
S.K. Saha, S.J. Maniscalco and H.F. Fisher (USA) 8

Short sequence-papers

Identification of a novel family of non-lysosomal aspartic proteases in nematodes
A. Jolodar and D.J. Miller (Australia) 13

cDNA cloning of bovine thrombospondin 1 and its expression in odontoblasts and predentin
A. Ueno, K. Yamashita, T. Nagata, C. Tsurumi, Y. Miwa, S. Kitamura and H. Inoue (Japan) 17

Regular papers

Roles of conserved residues in the arginase family
J. Perozich, J. Hempel and S.M. Morris Jr. (USA) 23

Clinical inhibitor-resistant mutants of the β-lactamase TEM-1 at amino-acid position 69. Kinetic analysis and molecular modelling
E.B. Chaibi, J. Péduzzi, S. Farzaneh, M. Barthélémy, D. Sirot and R. Labia (France) 38

Expression and characterization of recombinant pyruvate phosphate dikinase from *Entamoeba histolytica*
E. Saavedra-Lira, L. Ramirez-Silva and R. Perez-Montfort (Mexico) 47

Prorenin processing and restricted endoproteolysis by mouse tissue kallikrein family enzymes (mK1, mK9, mK13, and mK22)
Y. Kikkawa, N. Yamanaka, J. Tada, N. Kanamori, K. Tsumura and K. Hosoi (Japan) 55

Protein kinase activities in ripening mango, *Mangifera indica* L., fruit tissue. I: Purification and characterization of a calcium-stimulated casein kinase-I
L. Frylinck and I.A. Dubery (South Africa) 65

Two hevein homologs isolated from the seed of *Pharbitis nil L.* exhibit potent antifungal activity
J.C. Koo, S.Y. Lee, H.J. Chun, Y.H. Cheong, J.S. Choi, S.-i. Kawabata, M. Miyagi, S. Tsunasawa, K.S. Ha, D.W. Bae, C.-d. Han, B.L. Lee and M.J. Cho (South Korea, Japan) 80

Identification of residues in the Gla-domain of human factor IX involved in the binding to conformation specific antibodies
E.G.C. Wojcik, W.-F. Cheung, M. Van den Berg, I.K. Van der Linden, D.W. Stafford and R.M. Bertina (The Netherlands, USA) 91

Understanding the molecular mechanism of viral resistance to peptidomimetic inhibitors of ribonucleotide reductase
P.W. White (Canada) 102

Fatty acylation of polypeptides in the nematode *Caenorhabditis elegans*
R.A. Aspbury, M.J. Fisher and H.H. Rees (UK) 111

Rhodanese folding is controlled by the partitioning of its folding intermediates
B.M. Gorovits, W.A. McGee and P.M. Horowitz (USA) 120

^{1}H and ^{13}C NMR studies of a truncated heme domain from *Chlorella vulgaris* nitrate reductase: signal assignment of the heme moiety
X. Wei, L.-J. Ming, A.C. Cannons and L.P. Solomonson (USA) 129

Identification of the catalytic residue of human short/branched chain acyl-CoA dehydrogenase by in vitro mutagenesis
B. Binzak, J. Willard and J. Vockley (USA) 137

Stoichiometry and heterogeneity of the pro-region chain in tetrameric human cathepsin C
B. Cigić, I. Križaj, B. Kralj, V. Turk and R.H. Pain (Slovenia) 143

Reduction of protein volume and compressibility by macromolecular cosolvents: dependence on the cosolvent molecular weight
A. Almagor, A. Priev, G. Barshtein, B. Gavish and S. Yedgar (Israel) 151

Stopped-flow analysis of the refolding of hen egg white riboflavin binding protein in its native and dephosphorylated forms
D.A. McClelland and N.C. Price (UK) 157

A yeast mutant lacking thiol-dependent protector protein is hypersensitive to menadione
S.M. Lee and J.-W. Park (South Korea) 167

Erratum

Erratum to "Detection and identification of NAD-catabolizing activities in rat tissue homogenates". [Biochim. Biophys. Acta 1340 (1997) 7–12]
T. Hagen and M. Ziegler (Germany) 176

Information for Contributors *vii*

Short sequence-papers

Cloning and sequencing of cDNA encoding the LS-12 antifreeze protein in the longhorn sculpin, *Myoxocephalus octodecimspinosis*
Z. Zhao, G. Deng, Q. Lui and R.A. Laursen (USA) 177

Purification and molecular cloning of a chitinase expressed in the hepatopancreas of the penaeid prawn *Penaeus japonicus*
T. Watanabe, M. Kono, K. Aida and H. Nagasawa (Japan) 181

Thermostable glycerol kinase from *Thermus flavus*: cloning, sequencing, and expression of the enzyme gene
H.-S. Huang, T. Kabashima, K. Ito, C.-H. Yin, Y. Nishiya, Y. Kawamura and T. Yoshimoto (Japan) 186

Review

The structural aspects of limited proteolysis of native proteins
S.J. Hubbard (UK) 191

Regular papers

A novel thermostable neutral proteinase from *Saccharomonospora canescens*
P. Dolashka, D.N. Georgieva, S. Stoeva, N. Genov, R. Rachev, A. Gusterova and W. Voelter (Bulgaria, Germany) 207

Oligomeric structure of hepatic lipase: evidence from a novel epitope tag technique
D.E. Berryman, J.J. Mulero, L.B. Hughes, D.L. Brasaemle and A. Bensadoun (USA) 217

Identification and characterization of receptors for riboflavin carrier protein in the chicken oocyte. Role of the phosphopeptide in mediating receptor interaction
Sooryanarayana, S. Sarkar, P.R. Adiga and S.S. Visweswariah (India) 230

Characterization of the monovalent and divalent cation requirements for the xenobiotic carboxylic acid: CoA ligases of bovine liver mitochondria
D.A. Vessey and M. Kelley (USA) 243

The monolayer technique as a tool to study the energetics of protein–protein interactions
P. Lavigne, P. Tancrède and F. Lamarche (Canada, Canada) 249

Measurement of peptide aggregation with pulsed-field gradient nuclear magnetic resonance spectroscopy
S.L. Mansfield, D.A. Jayawickrama, J.S. Timmons and C.K. Larive (USA) 257

Interactions of serine proteinases with pNiXa, a serpin of *Xenopus* oocytes and embryos
J. Kotyza, A.H. Varghese, G. Korza and F.W. Sunderman Jr. (USA) 266

Crystal structures of 5-fluoro-dUrd and its 2 and/or 4-thio analogues: models of substituted dUMP pyrimidine ring interacting with thymidylate synthase
A. Jarmuła, R. Anulewicz, A. Leś, M.K. Cyrański, L. Adamowicz, M. Bretner, K. Felczak, T. Kulikowski, T.M. Krygowski and W. Rode (Poland, USA) 277

Identification of CYP2E1 in marmoset monkey
T.G. Schulz, R. Thiel, D.S. Davies and R.J. Edwards (UK, Germany) 287

Structure/function analysis of the domains required for the multimerisation of phenylalanine hydroxylase
S.E. Hufton, I.G. Jennings and R.G.H. Cotton (Australia) 295

Albumin Church Bay: 560 Lys → Glu a new mutation detected by electrospray ionisation mass spectrometry
E.K.M. Chua, S.O. Brennan and P.M. George (New Zealand) 305

Novel lectin-related proteins are major components in Lima bean (*Phaseolus lunatus* L.) seeds
F. Sparvoli, A. Gallo, D. Marinelli, A. Santucci and R. Bollini (Italy) 311

A stable, molten-globule-like cytochrome *c*
P. Wittung-Stafshede (USA) 324

Studies on the urea cycle enzyme ornithine transcarbamylase using heavy atom isotope effects
L.E. Parmentier and J. Smith Kristensen (USA) 333

6-Tetrahydrobiopterin functions as a UVB-light switch for de novo melanogenesis
K.U. Schallreuter, J.M. Wood, C. Körner, K.M. Harle, V. Schulz-Douglas and E.R. Werner (UK, Germany, Austria) 339

Cooperativity between trimers of the hexameric glutamate dehydrogenase from *Clostridium symbiosum*
L.A. Basso, P.C. Engel and A.R. Walmsley (USA, Ireland, UK) 345

Cumulative Contents, Vol. 1382 351

Author Index 354